

DATE: Tuesday, June 24, 2003

-	Set Name Query side by side			Set Name result set
I	DB = US	SPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
]	L10	L1 and (sn or tin or zn or zinc) near (solder or soldering or paste or cream or sheet or foil)	21	L10
	L9	11 and (paste or flux)	91	Ĺ9
	L8	12 and (paste or flux)	46	L8
	L7	13 not (14 or 15 or 16)	18	L7
	L6	L1 and (fold or folded or corrugated or corrugation or peak) near (fin or aluminum)	23	L6
	L5	L3 and (fold or folded or corrugated or corrugation or peak)	6	L5
	L4	L3 and (fold or folded or corrugated or corrugation or peak) near (fin or aluminum)	1	L4
	L3	L2 and heat sink	24	L3
	L2	L1 and (solder or soldering)	81	L2
	L1	(sn or tin) and (zn or zinc) and (al or aluminum) near (fin or heat) and (cu or copper)	265	L1

END OF SEARCH HISTORY

Searching PAJ

MENU NEWS HELP

Search Results: 25 Index Indication ©	ear					
Text Search If you want to conduct a Number Search, please click on the button to the right.	Number Search					
Applicant, Title of invention, Abstract — e.g. computer semiconductor						
If you use the AND/OR operation, please leave a SPACE between keywords.						
One letter word or <u>Stopwords</u> are not searchable.						
aluminum copper	AND 🔻					
AND						
exchanger sink fin	OR 星					
AND						
zn zinc	OR 🕶					
AND						
Date of publication of application — e.g.19980401 - 19980405						
-						
AND						
IPC — e.g. D01B7/04 A01C11/02						
If you use the OR operation, please leave a SPACE between keywords.						
Search Stored data						

Copyright (C); 1998,2003 Japan Patent Office



DATE: Tuesday, June 24, 2003

Set Name side by side	<u>Ouery</u>	Hit Count	Set Name result set
DB=US	PT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L10	14 and (fan or blower)	6	L10
- L9	13 and solder near (bath or tank or supply or wave or reservoir)	- 77	L9
L8	13 and (sn or tin or ag or silver or cu or copper or bismuth)	373	L8
L7	13 and (pre or prelim or preliminary) near (heat or heater or heated or heating)	8	L7
L6	L5 and iron	77	L6
L5	13 and (hand or iron)	231	L5
L4	L3 and (blast or blasting or radiant or infrared or "ir") near (heat or heater or heating)	22	L4
L3	L2 and reflow	403	L3
L2	L1 and (lead or pin or electrode) near (plate or plated or plating)	1942	L2
L1	(solder or soldering) and (flow or wave) and (lead or pb)	31648	L1

END OF SEARCH HISTORY